REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188		
Public reporting burden for maintaining the data needs	this collection of information is ed, and completing and review	s estimated to average 1 hour peng this collection of information.	r response, including the time for	r reviewing instruction	s, searching existing	data sources, nathering and	
Highway, Suite 1204, Arline	educing this burden to Departn	nent of Defense, Washington He	adquarters Services, Directorate	for Information Opera	y other aspect of this	Collection of information	
_ collection of information if it	it does not display a currently v	alid OMB control number. PLEA	withstanding any other provision SE DO NOT RETURN YOUR F	of law, no person sha	Il be subject to any p	9704-0188), 1215 Jefferson Davis penalty for failing to comply with a	
1. REPORT DATE (	DD-MM-YYYY)	2. REPORT TYPE			3. DATES CO	OVERED (From - To)	
4. TITLE AND SUB	TITLE	Technical Papers		<del></del>		•	
					5a. CONTRA	CT NUMBER	
					5b. GRANT	IUMBER	
					5c. PROGRA	M ELEMENT NUMBER	
6. AUTHOR(S)						1	
(5)					5d. PROJEC	NUMBER	
					1011		
					5e. TASK NU	WREH	
					5f. WORK UN	IT NIMBED	
						HOMDER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)					8. PERFORM	ING ORGANIZATION	
Air Force Research	h Laboratory (AFM(	7)			REPORT	,	
AFRL/PRS	- Lucolatory (Till IVI)	-) .	•			i	
5 Pollux Drive							
Edwards AFB CA	93524-7048			İ		1	
9. SPONSORING / M	IONITORING AGENCY	NAME(S) AND ADDRI	ESS(ES)		10. SPONSOF	R/MONITOR'S	
					ACRONYM(S		
Air Force Research	h Laboratory (AFMC	"		ŀ			
AFRL/PRS		•)		.  -	11 000000		
5 Pollux Drive					11. SPONSOF NUMBER(		
Edwards AFB CA	93524-7048				IAOINIDELI	5)	
12. DISTRIBUTION /	AVAILABILITY STATE	MENT		<u>_</u>			
			•				
A							
Approved for publi	ic release; distributio	n unlimited.					
13. SUPPLEMENTAR	W NO.						
13. SUPPLEMENTAP	Y NOTES						
					i.	·	
14. ABSTRACT					<u> </u>		
					:		
	•						
		•					
			<b>^</b>	<b>1177</b>	4 4 10	47A	
			· /I	0030′		<b>1 7</b> 11	
			<b>—</b> 1		IIV	100	
15. SUBJECT TERMS							
•					•	İ	
6. SECURITY CLASS	SIFICATION OF						
OLOGINI I OLAGE	MI TOATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER		E OF RESPONSIBLE	
			OF ADSTRACT	OF PAGES	PERSON	ials and a	
. REPORT	b. ABSTRACT	c. THIS PAGE	1 //)		Leilani R	PHONE NUMBER	
J <b>nclassified</b>	Ilmalancie 1		(A)		(include area	a code)	
riciassilicu	Unclassified	Unclassified			(661) 275		
					Chanaland		

18 separate itens enclosed

Standard Form 298 (Rev. 8-98) Prescribed by ANSI Std. 239.18

1011CHOF TP-FY99-0072

~ Spreadalust

MEMORANDUM FOR PRS (Contractor Publication)

FROM: PROI (TI) (STINFO)

4 May 1999

SUBJECT: Authorization for Release of Technical Information, Control Number: AFRL-PR-ED-TP-FY99-0072

Dan Baron (ERC), "Fracture Parameter Calculations for SENT Specimens with Two Boundary

Conditions"

SEM

(Statement A)

# Fracture Parameter Calculations for SENT Specimens with Two Boundary Conditions

D.T. Baron ERC Inc. AFRL Room 111 Building 8424 3 Antares Road Edwards AFB, CA 93524

## INTRODUCTION

This paper is about finite element calculations of the Mode 1 stress intensity factor  $(K_1)$ , and the T-stress (T), for single edge-notched tension (SENT) specimens. Linear elastic fracture mechanics (LEFM) is used. (4) cases of traction application method and plane state (TAMPS) are considered, applied uniform load and plane stress (LS), applied uniform load and plane stress (LS), applied uniform load and plane stress (DS), applied uniform displacement and plane stress (DS), applied uniform displacement and plane strain (DN). For all cases, the material is considered to be incompressible, i.e., 0.5 is used for Poisson's ratio (v). Young's modulus is referred to as E. The total height (perpendicular to the crack) of a SENT specimen is called h, and the total width (parallel to the crack) is called v. The crack length is called a.

The second secon

### FINITE ELEMENT CALCULATIONS

The ABAQUS finite element program, version 5.6 was used. All calculations were for a linear material with small strains and small displacements. Figure 0 shows the general form of the finite element meshes. One half of each SENT specimen was modeled, cut through the line of symmetry, the crack line. In Figure 0, the 'y's along part of the bottom of the mesh, indicate that each point ahead of the crack tip along a mesh's bottom edge was constrained from displacement in the y direction. The 'x's along the top of the mesh indicate that each point along a mesh's top edge was constrained from displacement in the x direction. (The top edge xconstraint was used to simulate the gluing of an experimental specimen to an end fixture.) Each mesh was divided into 16 element sectors of approximately equal angle radiating from the crack tip. Each mesh was divided into 64 element orbits about the crack tip. Each mesh consisted of 16\*64=1024 elements. The elements were rectangular 8 node (one node at each corner, one node on each side) isoparametric. Each crack tip element was formed by positioning the 3 nodes along one side at the crack tip. All of the crack tip nodes were tied together. Element corner nodes were located at the intersection of the sector lines and orbit curves. Element side nodes were located midway between the corner nodes. The nodes on the radial sides of the crack tip elements were located at the quarter points.

The family of orbit curves was constructed so that the innermost curve was circular. The shapes of the curves gradually became more rectangular nearer to the mesh boundaries (the two sides and the top). Beginning at the crack tip, the distances between adjacent orbit curves increased linearly in the -x, +x, and +y directions. The radius of the innermost (circular) orbit curve was  $w/10^4$ . (396) (4 TAMPS \* 11 h/w \* 9 a/w) ABAQUS problems were solved to generate the included data. A FORTRAN 90 program was written and used to automatically generate a mesh and ABAQUS input file from the values of a number of variables in a parameter file. ABAQUS was run on a UNIX machine. Typically, 99 runs were made at one time from a batch file running overnight.

# THEORY AND NUMERICAL IMPLEMENTATION

Figures 1-4 show the T-stress parameter  $\pmb{\beta}$  plotted versus the crack ratio.  $\pmb{\beta}$  is defined as

$$\beta \equiv \frac{T\sqrt{\pi a}}{K_1}.$$
 (1)

 $K_1$  is equal to

$$K_{1} = \sqrt{JE'} \ . \tag{2}$$

 $m{J}$  is the energy release rate at the crack tip.  $m{E}'$  is defined

$$E' \equiv \begin{cases} E & \text{(plane stress)} \\ \frac{E}{1 - \mathbf{v}^2} & \text{(plane strain)} \end{cases}$$
 (3)

ABAQUS has a command to calculate J, and uses the energy domain integral method. For each ABAQUS run, 64 calculations of J were made, one for each element orbit curve. For each run, all 64 J values were close to identical.

Williams [1] showed that the stresses in a linear elastic body can be written in an infinite series expansion. Near the crack tip the effect of the higher order terms can be neglected, and  $\sigma_{rr}$  can be written as

$$\sigma_{xx} = \frac{K_1}{\sqrt{2\pi r}} \cos\left(\frac{\theta}{2}\right) \left[1 - \sin\left(\frac{\theta}{2}\right) \sin\left(\frac{3\theta}{2}\right)\right] + T. \tag{4}$$

Along the crack flank ( $\theta = \pi$ ), the first term in Equation (4) is zero, and  $\sigma_{xx}$  becomes

$$\sigma_{rr} = T. \tag{5}$$

Therefore, along the crack flank, and near the crack tip, a finite element calculation of  $\sigma_{\!_{\! L\!\!\! L}}$  should be approximately equal to T. Ayatollahi [2] has shown that a better approximation for T can be determined by using

$$\sigma_{xx} = T = E' \frac{du_x}{dx}, \qquad (6)$$

where  $u_x$  is the displacement along the crack flank in the x direction. For the data of this paper, T was calculated using Equation (6).  $du_x/dx$  was approximated by fitting a least squares line to the data points  $(x,u_x)$  of the nodes on the crack flank within the distance of a/10 of the crack tip.

Figures 5-8 show normalized T-stress ( $T/\sigma_{\infty}$ ) plotted versus the crack ratio.  $\sigma_{\infty}$  is the specimen's average end stress; i.e., the sum of the mesh top edge nodal forces in the y direction divided by w. (For cases LS and LN these nodal forces were applied, and for cases DS and DN they were induced.)

### **NUMERICAL RESULTS**

Each of Figures 1-8 shows 11 curves, one for each of the specimen aspect ratios  $h/w = \{1/4, 1/3, 1/2, 1/1, 2/1, 3/1, 4/1, 5/1, 6/1, 7/1, 8/1\}$ . Each curve was constructed using 9 points, for the crack ratios  $a/w = \{0.05, 0.10, 0.20, 0.30, 0.40, 0.50, 0.60, 0.70, 0.80\}$ .

Notice that for a SENT experimental specimen, both T and  $K_1$  can be determined using the figures. Since  $\sigma_{\infty}$  is either applied or measured, one of Figures 5-8 will give T. Once T is known, the corresponding figure of Figures 1-4 will give  $K_1$ .

Figures 1 and 5 were compared to Figure 4 from the T-stress compendium by Sherry [3], and showed reasonable agreement.

The figures generally show that the fundamental characters of the curves change when the specimen aspect ratio (h/w) is less than 1. There is little difference between the effects of plane stress and plane strain when uniform load is prescribed (cases LS and LN). However when uniform displacement is prescribed (cases DS and DN) the differences between plane stress and plane strain can be significant, especially for h/w < 1. The figures show that both  $\beta$  and  $T/\sigma_{\infty}$  crucially depend on whether uniform load or uniform displacement is applied to a specimen. One condition should never be used to approximate the other.

### CONCLUSIONS

The boundary condition of Figure 0 (in which the entire mesh top edge was constrained in the x direction) was used because it seems to be the only condition that can be practically implemented. Devising an experimental method to constrain only one point in the x direction seems difficult. The result is that for values of h/w < 1, relatively huge T-stresses can be generated.

Applying a load to a SENT specimen that is even approximately uniform seems to be an impossibility, unless the specimen is extremely long. Even if the end fixtures are pinned at their middles, the most that can be said is that the centroid of the end loads are located at the pin centers.

For experimental single edge-notched tension specimens, calculations using uniform applied load should never be substituted for calculations using uniform applied displacement when determining values of the stress intensity factor  $(K_1)$  and the T-stress (T).

# REFERENCES

- Williams, M.L.: On the Stress Distribution at the Base of a Stationary Crack: Journal of Applied Mechanics: Volume 24: 109-114: 1957.
- Ayatollahi, M.R.; Smith, D.J.; Pavier, M.J.: Displacement Based Approach To Obtain T-Stress Using Finite Element Analysis: PVP-Vol. 346, Fatigue and Fracture: Volume 2: 149-154: 1997.
- Sherry, A.H.; France, C.C.; Goldthorpe, M.R.: Compendium Of T-Stress Solutions For Two And Three Dimensional Cracked Geometries: Fatigue & Fracture of Engineering & Structures: Volume 18: No. 1: 141-155: 1995.





Fig. 0 Typical Finite Element Mesh.



-2.5

0.8

0.7

Fig. 7 Normalized *T* stress.

Applied uniform displacement.
Plane stress.

0.4

0.5

0.6

0.3

0.2

-2.5

0.1

Fig. 8 Normalized *T* stress.

Applied uniform displacement.

Plane strain.

0.4

0.3

0.2

0.5

0.6

0.8

a/w

0.7

# PAGES fig 1, 2, 3, 4 ARE MISSING IN ORIGINAL DOCUMENT